This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




Fig. 1









Fig. 2









Fig. 3








Fig. 5






Fig. 6



	1.07					
	•	Average Intensity,	Augracia		Average	
		Non-	Intensity.	Permutational	Fold	
Non-Metastatic Tumore Metastatic Tumore	Gene Name	Melastetto	Member	p-value	Ofference	
		3404	1966	9.004	1.80	
1937_M	Retinoblesioms 1 GTP-binding protein (RAB3B)	134	23	0.006	5.85	
624_al	Interferon (IFN-gamma)	111	34	0.007	2.44	
1811_1 1814_1 1846_1		381	171	0.007	2.23	
8043_6_6		117	36	0.010	3.24 1.71	
846_0_st	Integrin alpha-3 chain	607	297	0.018	1.71	
129_at	Human dual-specificity protein phosphatass	1300	440 71	0.018	3.42	
2070 1 at	Protein tinese (JHK1)	241	107	0.024	2.64	
786_st	Nedd-4-the ubiquitin-protein ligase WWP2	273 1347	610	0.034	2.66	
1812_4_44	APC	47	10	0.036	4.60	
304_a1	Quarine Nucleotide Exchange Fector 2	3367	1664	0.036	2.04	
463_g_al	Nuclear factor I B3	230	140	0.036	1.71	
1380_al	Kerstnooyte growth factor	322	183	0.037	1.76	
1800_al	Tyrosine kinase (TXX)	3264	1812	0.037	1.80	
464_61	MXII Epidermal growth factor receptor kinase substrate (Epsil)	960	471	9.037	2.04	
1467_41	Ribosomal protein S6 kinase 2 (RPS6KAZ)	847	344	0.040	2,33	
1127_01	Erg protein (els-related gene), 3' Bank	718	364	0.044	1.07	
2044_si 2022_si	Rac protein idnase beta	128	80	0.046	2.09	
3	Heat shock protein 27 (HSP27)	489	540	0.044	1.82 28.22	
\$28_41 \$47_a_ai	TINUR - HOFI-Blaur77 beta-type transcription factor homolog	314	11	0.047	5.01	
1214_4	Protein timese C (PKC) type bets if	162	32	0.048	1.92	
1012_44	naco(CRP-esseciated factor (P/CAP)	130	и	0.048	1.48	Down
1611_4	nes and net leaterms of N-She	804	470	0.048	1.73	
726 (a)	Chorlania Sametamenmotropia Harmone Ca-6	767	437	0.049	2.06	In M+
138 41	Quanylate kinase associated protein (GKAP)	- 42	26	6,800	14.40	
الرادة امرفاقة ني	Homeobox 1.4	1342	213 11406	0.000	3.90	Up in
الرزاكا	Charletone S-transferase-P1s	2342	11496 6098	0.000	2.11	M+
130 to	Cathapain D (catD)	790	1530	0.003	1.84	MT
442.g.u	Replication protein A 14(De autumit (RPA)	184	3185	0.004	20.14	
1683_0_6	Tissue inhibitor of metalloproteinases (HUMTIMP)	3366	11374	0.004	3.30	
\$065_61	MAC25 Mucin (MUCS)	192	370	0.004	1.82	
191_44	Replication protein A 14kDa subunit (RPA)	217	416	0.006	2.84	
861_ai 871_ai	8PARC/osteonectin	4165	8584	0.007	2.06	
1911_4	Res-Like Protein Te 10	678	1318	0.007	2.20 4.83	
1741 4 4		417	2012 447	0.008	6,13	
841,41	Protein kinese C-binding protein RACK17	72 33	184	0.000	6.67	
1321_6_6		33	343	0.000	3.80	
1142_0_0	FGF Receptor K-Barn, All. Splice 3	2401	3444	0.000	1.46	
382 1173_g_s	Spermicher/Spermine N1-Apstytransfersee, Alt. Spikes 2 Bets-kubulin gene, clone m40	3393	5071	0.010	1.49	
2 4 700_st	X74784cde receptor protein tyrosine tinese	80	408	0.012	8.10	
	ET4 Oncoletal antigen	354	760	0.012	8.16	
346_si 1001_si	Putative receptor byroeine kinese (%)	281	748	0.013	2.67	
942_41	P1-Cdo48	166	847	0.013	1,52 1,64	
1062_4_6	NF-LE-bets	864 2848	4256	0.013	1.61	
283_si	Ubiquinal sytochrome-c reductase core I	332	543	0.015	1.84	
1064_st	Replication factor C, 37-sDe subunit	674	1979	0.016	2.83	
1 [1] 770_st	Giventhione perceidase	513	1451	0.018	2.83	
317_si 1843_s_s	D66886 Cysteine proteine Tumor necrosis inctor receptor	928	1675	0.017	1.81	
	Miscogen Induced nuclear orphan receptor (MINOR)	80	1212	0.017	3.64	
		1714	2943	0.018	1.67	
1007_e_e 1800_at	Receptor protein-tyrosine kinese (NEXII)	120	767	0.018	6.42	
	Gamma-Interteron-Inductbie protein (1P-30)	767	1340	0.019	1.76	
10 P25_61	Bicorn's syndrome protein (BLM)	443	196		1.a/ 27.71	
215_g_at	Homeobox protein 0HOX7)	10	877 519	0.019 0.019	3.03	
1137_ei	Laukamia virus receptor 2 (GLYRZ)	1774	2244	0.021	1.63	
603_61	RNA polymerase ii subunii (heRP\$10)	345	641	0.023	1.76	
1335_0	Cytodrome P-460LTBV	677	1444	0.023	2.60	
1470_8	ONA polymeruse delta amail subunit RCC1 azonel7-14	120	637	0.025	2.90	
1190_at 214_at	Homeobox protein (HOX7)	1284	2617	0.025	8.04	
1742a		3241	4848	0.026	1.44	
736_0_81	Protein IGnase HtS1, Camp-Dependent	11	128	0.028	12.03 2.67	
124_41	(pione 14YS) metallothionein-IG (L/T1G)	212	544	0.028 0.029	1.62	
424_0_0	mRNA iragment for beta-2 microglobulin.	6916 661	9673 2038	0.029	3.70	
311_0_00	Phronectin, All. Epilos 1	123	204	9.031	1.67	
1226_at	TNF-sighs converting enzyme Plaintet-derived growth factor receptor eights	342	671	0.032	1.62	
ر در 1771 بر در 1946		4190	8670	0.033	1.69	
	Ras GTPses-activating-like protein (IGGAP1)	360	642	0.034	1.84	
	MAPKAP Ishese (30K)	67	172	0.036	2.54	
10 to	Metaliothionein I-8	3146	4404 881	0.036 0.037	1.40 2.49	
1970_4_4	t FGFR2	274 348	752	0.037	2.18	
	M68371 Protein tyrosine kinese	630	1044	0.037	1.66	
1068_1_		630 646	132	0.040	2.00	
1030_4	Phosphoprotein p63	1983	4117	0.042	2.07	
1104_4_		442	763	0.043	1.72	
[33_4]	Cathepsin C at Lyn 8	ន	257	0.044	4.62	
8024_s_ 702_f_st		344	618	0.044	1.51	
7(2)_st	Tumor entigen (L6)	63	179	0.044	3.35	
1771.0	et Mad2	603	1070	0.048	1.78	
561 O B	Mildelor gane (MASH2)	721	1067	0.045 0.046	1.47	
2069_6_	al Alpha1(E)-calenin	2467	3507	g.046	1.44	

Fig. 7